

Overseas model shown

MAZDA CX-90



ZOOM-ZOOM





MAZDA CX-90 TOURING – STANDARD ACROSS EVERY GRADE

- » 10.25-inch full colour widescreen display (Mazda Connect)
- » 19-inch silver metallic alloy wheels
- » 360° view monitor†
- » 7-inch TFT LCD multi-information meter display
- » 8 speaker audio with DAB+
- » Active driving display
- » Advanced keyless entry
- » Air-conditioning (three-zone climate control) with independent rear control
- » Apple® Carplay and Android™ Auto (wireless and USB)§
- » Auto-dimming rear-view mirror
- » Blind Spot Monitoring (BSM) with Vehicle Exit Warning†
- » Body colour exterior mirrors
- » Driver monitor†
- » Exterior mirror with power adjustment, auto fold, heating, auto dimming and memory
- » Front & Rear parking sensors
- » Front bumper with gloss black bar type grille
- » Gloss black side pillar garnish
- » Glove box illumination
- » Hands-free remote operated power tailgate (open/close)
- » Heated seats (front)
- » Leather seats with power adjustment (driver & passenger) and position memory (driver)
- » Leather shift knob
- » Leather side door trim with door courtesy lamp (Front)
- » Leather steering wheel
- » LED headlamps with auto on/off and High Beam Control (HBC)
- » Map reading spot lamps
- » Overhead console with sunglass holder
- » Centre console with LED lamp, USB-C
- » 150W AC outlet
- » Rear door window sunshade
- » Satellite navigation
- » Smart Brake Support (SBS) with Turn-across traffic†
- » Vanity mirror with lamp
- » Wireless phone charger§

POWERTRAIN

e-Skyactiv G

- » 3.3 litre in-line 6 cylinder 24 valve petrol turbo with M Hybrid Boost and i-stop
- » i-Activ AWD
- » 254 kW @ 5,000-6,000 rpm (max. power)
- » 500 Nm @ 2,000-4,500 rpm (max. torque)
- » Skyactiv-Drive 8-speed automatic transmission

e-Skyactiv D

- » 3.3 litre in-line 6 cylinder 24 valve diesel turbo with M Hybrid Boost and i-stop
- » i-Activ AWD
- » 187 kW @ 3,750 rpm (max. power)
- » 550 Nm @ 1,500-2,400 rpm (max. torque)
- » Skyactiv-Drive 8-speed automatic transmission

§ Please check the compatibility of your device (particularly your mobile phone) with the specific Mazda vehicle you intend to purchase as not all devices operate correctly. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.



MAZDA CX-90 GT – ADDITIONAL TO TOURING

- » 12.3-inch full colour widescreen display (Mazda Connect)
- » 12.3-inch TFT LCD multi-information meter display
- » 21-inch silver metallic alloy wheels
- » Adaptive LED Headlamps (ALH)
- » Electric steering wheel adjustment
- » Heated seats (front & rear)
- » Heated steering wheel
- » Interior foot lamp (driver and passenger)
- » Leather side door trim with door courtesy lamp (Front and rear)
- » LED headlamps with bright signature
- » Panoramic sunroof
- » Personalise system (auto restoration of settings)
- » Premium Bose® amplifier and 12 speakers
- » Rear combination lights with signature illumination

POWERTRAIN

e-Skyactiv G

- » 3.3 litre in-line 6 cylinder 24 valve petrol turbo with M Hybrid Boost and i-stop
- » i-Activ AWD
- » 254 kW @ 5,000-6,000 rpm (max. power)
- » 500 Nm @ 2,000-4,500 rpm (max. torque)
- » Skyactiv-Drive 8-speed automatic transmission

e-Skyactiv D

- » 3.3 litre in-line 6 cylinder 24 valve diesel turbo with M Hybrid Boost and i-stop
- » i-Activ AWD
- » 187 kW @ 3,750 rpm (max. power)
- » 550 Nm @ 1,500-2,400 rpm (max. torque)
- » Skyactiv-Drive 8-speed automatic transmission



MAZDA CX-90 AZAMI – ADDITIONAL TO GT

- » 21-inch black metallic and machined alloy wheels
- » 360° view monitor with see through view†
- » Ambient lighting
- » Black nappa leather seat trim
- » Body-coloured wheel arches and lower cladding
- » Cruising & Traffic Support (CTS)†
- » Frameless interior mirror
- » Interior foot lamp (front and rear)
- » Personalise system with Easy Entry & Driving position guide
- » Ventilated seats (front)

POWERTRAIN

e-Skyactiv G

- » 3.3 litre in-line 6 cylinder 24 valve petrol turbo with M Hybrid Boost and i-stop
- » i-Activ AWD
- » 254 kW @ 5,000-6,000 rpm (max. power)
- » 500 Nm @ 2,000-4,500 rpm (max. torque)
- » Skyactiv-Drive 8-speed automatic transmission

e-Skyactiv D

- » 3.3 litre in-line 6 cylinder 24 valve diesel turbo with M Hybrid Boost and i-stop
- » i-Activ AWD
- » 187 kW @ 3,750 rpm (max. power)
- » 550 Nm @ 1,500-2,400 rpm (max. torque)
- » Skyactiv-Drive 8-speed automatic transmission

† Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.

CHOOSE YOUR COLOUR AND INTERIOR TRIMS



Rhodium White
Metallic~

Sonic Silver
Metallic

Platinum Quartz
Metallic


Soul Red Crystal
Metallic~

Artisan Red
Metallic~

Deep Crystal Blue
Mica

Machine Grey
Metallic~

Jet Black
Mica



Black leather# (Touring & GT)

Revera Stone# (GT)

Black Nappa leather# (Azami)

Tan Nappa leather#
(Azami with SP Package)

Pure White Nappa leather#
(Azami with Takumi Package)

~At extra cost. # Leather interior includes some Maztex material on selected high-impact surfaces.

SPECIFICATIONS

Model availability

				Touring	GT	Azami
G50e	3.3L I6 e-Skyactiv G Petrol turbo with M Hybrid Boost	Skyactiv-Drive 8-speed automatic	AWD	●	●	●
D50e	3.3L I6 e-Skyactiv D Diesel turbo with M Hybrid Boost	Skyactiv-Drive 8-speed automatic	AWD	●	●	●

Options

Takumi Package

Optional on Azami

Pure White nappa leather seat trim

Bright decoration panel

Cloth dashboard panel with Kakenui stitching

White Maple wood console and door trim inserts

2nd row captain's seats with ventilation

2nd row centre console with storage

SP Package

Optional on Azami

Tan nappa leather seat trim

Suede finish dashboard panel

Two-tone colour steering wheel

2nd row captain's seats with ventilation

2nd row centre console with storage

● = Standard.

SPECIFICATIONS

Powertrain	3.3L In-line 6-cylinder e-Skyactiv G	3.3L In-line 6-cylinder e-Skyactiv D
Bore and stroke (mm)	----- 86 x 94.2 -----	
Compression ratio	12.0 : 1	15.2 : 1
Drive system	----- i-Activ AWD -----	
Emissions standard	----- Euro stage 5 -----	
Engine capacity (cc)	----- 3,283 -----	
Engine type	3.3 litre turbo in-line 6 cylinder 24 valve DOHC petrol (Skyactiv-G)	3.3 litre turbo in-line 6 cylinder 24 valve DOHC diesel (Skyactiv-D)
Electrification	----- M Hybrid Boost (48V mild hybrid) -----	
Fuel consumption (l/100km)*: combined	8.2	5.4
extra-urban	7.4	5.3
urban	10.5	5.7
CO ² emissions (g/km)*: combined	189	143
Fuel system	Electronic direct injection	Common rail, electronic direct injection
Fuel tank capacity (litres)	----- 74 -----	

* Fuel consumption, electric range and CO₂ figures are based on ADR 81/02 test results. They are useful in comparing different vehicles. They may not be the results achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.

SPECIFICATIONS

Powertrain (Continued)

3.3L In-line 6-cylinder e-Skyactiv G

3.3L In-line 6-cylinder e-Skyactiv D

Gear ratio - Manual / Auto:	1st	----- 5.258 -----	-----
	2nd	----- 3.303 -----	-----
	3rd	----- 2.129 -----	-----
	4th	----- 1.705 -----	-----
	5th	----- 1.300 -----	-----
	6th	----- 1.000 -----	-----
	7th	----- 0.822 -----	-----
	8th	----- 0.628 -----	-----
	Reverse	----- 4.034 -----	-----
	Final drive	----- 3.692 -----	-----
Maximum power		254 kW @ 5,000 – 6,000 rpm	187 kW @ 3,750 rpm
Maximum torque		500 Nm @ 2,000 – 4,500 rpm	550 Nm @ 1,500 – 2,400 rpm
Recommended fuel		Unleaded (95RON or higher)	Diesel
Throttle control		----- Electronic (drive-by-wire) -----	
Transmission:		----- 8-speed automatic (Skyactiv-Drive) -----	

SPECIFICATIONS

Chassis and Powertrain Technologies		G50e Touring	D50e Touring	G50e GT	D50e GT	G50e Azami	D50e Azami
Automatic transmission kickdown switch		●	●	●	●	●	●
Brake by Wire		●	●	●	●	●	●
Electric Parking Brake with Auto Hold		●	●	●	●	●	●
Electric power assist steering		●	●	●	●	●	●
Electronic gear shifter		●	●	●	●	●	●
Hill Launch Assist (HLA)		●	●	●	●	●	●
i-stop		●	●	●	●	●	●
Mi-Drive	Sport mode	●	●	●	●	●	●
	Off-road mode	●	●	●	●	●	●
	Towing mode [¶]	●	●	●	●	●	●
Skyactiv-Body		●	●	●	●	●	●
Skyactiv-Chassis		●	●	●	●	●	●
Skyactiv-Vehicle Dynamics	G-Vectoring Control Plus (GVC-Plus)	●	●	●	●	●	●
	Kinetic Posture Control (KPC)	●	●	●	●	●	●
Paddle shift gear control		●	●	●	●	●	●
M Hybrid Boost		●	●	●	●	●	●

● = Standard.

¶ When fitted with a Mazda Genuine Towing Kit.

SPECIFICATIONS

Chassis		G50e Touring	D50e Touring	G50e GT	D50e GT	G50e Azami	D50e Azami
Brake diameter (mm):	front	----- 347 -----				-----	
	rear	----- 350 -----				-----	
Brake type:	front	----- Ventilated disc -----				-----	
	rear	----- Ventilated disc -----				-----	
Steering type		----- Rack-and-pinion with electric power assistance -----					
Suspension:	front	----- Double wishbone -----					
	rear	----- Multi-link -----					
Turning circle kerb to kerb (m)		----- 10.8 -----					
Tyre size		----- 265/55 R19 -----		----- 275/45 R21 -----			
Tyre index		----- 109V -----		----- 107W -----			
Wheel size		----- 19x8-1/2J -----		----- 21x9-1/2J -----			
Wheel type		----- Alloy -----					
Tyre size (spare)		----- T155/90D18 113M -----					
Wheel type (spare)		----- Temporary (steel) -----					

SPECIFICATIONS

Dimensions		G50e Touring	D50e Touring	G50e GT	D50e GT	G50e Azami	D50e Azami
Ground clearance with 75kg driver (mm)		----- 200 -----		----- 203 -----			
Overall length with license plate holder (mm)		----- 5,120 -----					
Overall width (mm)	Excluding mirrors	----- 1,994 -----					
	Mirrors folded	----- 1,994 -----					
	Mirrors open	----- 2,157 -----					
Overall height with 75kg driver (mm)		----- 1,745 -----					
Track (mm):	Front	----- 1,705 -----					
	Rear	----- 1,708 -----					
Wheelbase (mm)		----- 3,120 -----					

Weights and Capacities		G50e Touring	D50e Touring	G50e GT	D50e GT	G50e Azami	D50e Azami
Cargo room volume VDA (litres)	all seats up to height of seatback w/ underfloor storage space	----- 257 -----					
Cargo room volume VDA (litres)	3rd row seats down, to height of seatback w/ underfloor storage space	----- 608 -----					
Cargo room volume VDA (litres)	2nd and 3rd row seats down, up to ceiling w/ underfloor storage space	----- 2,025 -----					
Gross Vehicle Mass (GVM) (kg) ¹		2,770	2,790	2,800	2,820	2,800	2,820
Kerb weight (kg) ² :		2,190	2,211	2,220	2,241	2,220	2,241
Payload (kg) ³		580	579	580	579	580	579
Towing capacity [¶] (kg):	Braked	2,500	2,000	2,500	2,000	2,500	2,000
	Unbraked	----- 750 -----					
Tow-ball download maximum [¶] (kg)		----- 150 -----					

¶ When fitted with a Mazda Genuine Towing Kit. Subject to State or Territory regulations.

(1) Gross Vehicle Mass (GVM) is the total permissible weight of the vehicle including occupants, fuel and cargo.

(2) Kerb weight is the unladen weight of the vehicle including all fluids and a full tank of fuel.

(3) Maximum payload weight is calculated as the difference between GVM and kerb weight. The weight of any vehicle occupants, options, accessories, modifications, cargo and tow ball download must be included when calculating payload weight.

SPECIFICATIONS

Exterior	G50e Touring	D50e Touring	G50e GT	D50e GT	G50e Azami	D50e Azami
Daytime running lamps (LED)	●	●	●	●	●	●
Door handles (body coloured)	●	●	●	●	●	●
Front and rear bumpers (body coloured)	●	●	●	●	●	●
Green-tinted windscreen, side and rear windows	●	●	●	●	●	●
Headlamps	LED	●	●	●	●	●
	auto on/off function	●	●	●	●	●
Exterior mirrors	body-colour	●	●	●	●	●
	auto dimming function (driver)	●	●	●	●	●
	reverse tilt down function	●	●	●	●	●
	power adjustment	●	●	●	●	●
	2-position memory	●	●	●	●	●
	auto folding	●	●	●	●	●
	heated	●	●	●	●	●
Power sliding panoramic sun-roof	—	—	●	●	●	●
Power windows	with auto up/down (all windows)	●	●	●	●	●
	with remote open	●	●	●	●	●
Rear spoiler	●	●	●	●	●	●
Hands-free remote operated power tailgate (open/close)	●	●	●	●	●	●
Tail-lamps (LED)	●	●	●	●	●	●
Window demister (rear)	●	●	●	●	●	●
Wipers (front) 2-speed with rain-sensing function	●	●	●	●	●	●
Wiper (rear) with intermittent function	●	●	●	●	●	●

● = Standard, — = Not available.

SPECIFICATIONS

Seats		G50e Touring	D50e Touring	G50e GT	D50e GT	G50e Azami	D50e Azami
Seat trim:	Black leather ¹	●	●	●	●	—	—
	Revera Stone leather ¹	—	—	○	○	—	—
	Black nappa leather ¹	—	—	—	—	●	●
	Pure White nappa leather ¹	—	—	—	—	○ [^]	○ [^]
	Tan nappa leather with quilting ¹	—	—	—	—	○ [#]	○ [#]
Front seats with:	10-way power adjustment (driver)	●	●	●	●	●	●
	2-position memory (driver)	●	●	●	●	●	●
	8-way power adjustment (passenger)	●	●	●	●	●	●
	Adjustable head restraints	●	●	●	●	●	●
	Heating	●	●	●	●	●	●
	Height adjustment	●	●	●	●	●	●
	Lumbar adjustment (driver)	●	●	●	●	●	●
	Rake and slide adjustment	●	●	●	●	●	●
	Seat back pocket (driver and passenger)	●	●	●	●	●	●
	Ventilation	—	—	—	—	●	●
Rear seats with:	60/40 split fold backrest (2nd row)	●	●	●	●	● [*]	● [*]
	50/50 split fold backrest (3rd row)	●	●	●	●	●	●
	Adjustable head restraints	●	●	●	●	●	●
	Captain's seats (2nd row)	—	—	—	—	○ ^{^#}	○ ^{^#}
	Centre fold down armrest with storage (2nd row)	●	●	●	●	●	●
	Heating (2nd row, outer)	—	—	●	●	●	●
	Rake and slide adjustment (2nd row)	●	●	●	●	●	●
	Ventilation function (2nd row)	—	—	—	—	○ ^{^#}	○ ^{^#}

● = Standard, ○ = Option, ^ = Available as part of Takumi package, # = Available as part of SP package, * = Not available with Takumi and SP package, — = Not available.

¹ Leather interior includes some Maztex material on selected high impact surfaces.

SPECIFICATIONS

Interior	G50e Touring	D50e Touring	G50e GT	D50e GT	G50e Azami	D50e Azami
12-volt auxilliary power outlet	●	●	●	●	●	●
AC Power Outlet 150W	●	●	●	●	●	●
Active Driving Display	●	●	●	●	●	●
Air-conditioning (three-zone climate control) with 3rd row vents	●	●	●	●	●	●
Ambient temperature display	●	●	●	●	●	●
Centre armrest console Front and rear	●	●	●	●	●	●
Centre console with storage (2nd row)	—	—	—	—	○ [^] #	○ [^] #
Critical function warning lights/chimes	●	●	●	●	●	●
Cruise control	●	●	●	●	●	●
Cupholders Front and rear	●	●	●	●	●	●
Door bottle holders Front and rear	●	●	●	●	●	●
Electric Parking Brake (EPB) with Auto Hold	●	●	●	●	●	●
Electric steering wheel adjustment	—	—	●	●	●	●
Glove box with LED lamp	●	●	●	●	●	●
i-Adaptive Cruise Control (i-ACC)	●	●	●	●	●	●
Instrument panel light dimmer	●	●	●	●	●	●
Interior illumination:	Ambient lighting	—	—	—	●	●
	Cargo room lamp	●	●	●	●	●
	Entry system with delayed fade	●	●	●	●	●
	Map reading spot lamps	●	●	●	●	●
Leather-wrapped:	Gear shift knob	●	●	●	●	●
	Steering wheel	●	●	●	●	●
Mi-Drive	●	●	●	●	●	●
Multi-information meter display	7-inch	●	—	—	—	—
	12.3-inch	—	—	●	●	●
One touch (up and down) power windows (all)	●	●	●	●	●	●

● = Standard, ○ = Option, ^ = Available as part of Takumi package, # = Available as part of SP package, — = Not available.

SPECIFICATIONS

Interior (Continued)		G50e Touring	D50e Touring	G50e GT	D50e GT	G50e Azami	D50e Azami
Overhead sunglass storage box		●	●	●	●	●	●
Personalise System	Auto restoration of settings	—	—	●	●	●	●
	Easy entry & driving position guide	—	—	—	—	●	●
Rear-view mirror with auto dimming function		●	●	●	●	●	●
Remote window open		●	●	●	●	●	●
Tachometer and electronic odometer/ tripmeter		●	●	●	●	●	●
Tilt and telescopic adjustable steering wheel		●	●	●	●	●	●
Trip Computer		●	●	●	●	●	●
USB-C charging points	front	●	●	●	●	●	●
	2nd row	●	●	●	●	●	●
	3rd row	●	●	●	●	●	●
Vanity mirrors (front)	with illumination	●	●	●	●	●	●

● = Standard, — = Not available.

SPECIFICATIONS

Infotainment		G50e Touring	D50e Touring	G50e GT	D50e GT	G50e Azami	D50e Azami
Apple® CarPlay ¹	wireless & USB	●	●	●	●	●	●
Android® Auto ¹	wireless & USB	●	●	●	●	●	●
Bluetooth® hands-free phone and audio capability ¹		●	●	●	●	●	●
Multi-function commander control		●	●	●	●	●	●
Premium Bose® amplifier and speakers		—	—	●	●	●	●
Radio	AM/FM tuner	●	●	●	●	●	●
	DAB+ digital radio	●	●	●	●	●	●
	Radio Data System (RDS)	●	●	●	●	●	●
Satellite navigation		●	●	●	●	●	●
Speakers	8	●	●	—	—	—	—
	12	—	—	●	●	●	●
Steering wheel-mounted audio controls		●	●	●	●	●	●
USB-audio input port	USB-C	●	●	●	●	●	●
Widescreen colour infotainment display (Mazda Connect)	10.25-inch	●	●	—	—	—	—
	12.3-inch	—	—	●	●	●	●
Wireless phone charger ¹		●	●	●	●	●	●

● = Standard, — = Not available.

¹ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features.

SPECIFICATIONS

Safety and Security	G50e Touring	D50e Touring	G50e GT	D50e GT	G50e Azami	D50e Azami
360° View Monitor†	●	●	●	●	●	●
with See-Through View	—	—	—	—	●	●
Adaptive LED Headlights (ALH)	—	—	●	●	●	●
Advanced keyless entry with push-button engine start	●	●	●	●	●	●
Airbags SRS:						
Front (driver and passenger)	●	●	●	●	●	●
Side (front and rear)	●	●	●	●	●	●
Curtain (front and rear)	●	●	●	●	●	●
Far-side (driver)	●	●	●	●	●	●
Knee (driver)	●	●	●	●	●	●
Anti-lock Braking System (ABS)	●	●	●	●	●	●
Blind Spot Monitoring (BSM) with Vehicle Exit Warning	●	●	●	●	●	●
Childproof rear door locks	●	●	●	●	●	●
Cruising & Traffic Support (CTS)†	—	—	—	—	●	●
Driver Attention Alert (DAA)†	●	●	●	●	●	●
Driver Monitoring†	●	●	●	●	●	●
Dynamic Stability Control (DSC)†	●	●	●	●	●	●
Electronic Brake-force Distribution (EBD)	●	●	●	●	●	●
Emergency Brake Assist (EBA)	●	●	●	●	●	●
Emergency Lane Keeping†	●	●	●	●	●	●
with Road Keep Assist	●	●	●	●	●	●
with Blind Spot Assist	●	●	●	●	●	●
Emergency Stop Signal (ESS)	●	●	●	●	●	●
Engine immobiliser	●	●	●	●	●	●
Forward Obstruction Warning (FOW)†	●	●	●	●	●	●

● = Standard, — = Not available.

† Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.

SPECIFICATIONS

Safety and Security (Continued)	G50e Touring	D50e Touring	G50e GT	D50e GT	G50e Azami	D50e Azami
Front Cross Traffic Alert (FCTA) [†]	●	●	●	●	●	●
G-Vectoring Control Plus (GVC-Plus) [†]	●	●	●	●	●	●
High Beam Control (HBC) [†]	●	●	●	●	●	●
High mount stop lamp	●	●	●	●	●	●
Hill Descent Control (HDC) [†]	●	●	●	●	●	●
Hill Launch Assist (HLA)	●	●	●	●	●	●
Child restraint anchorage points: ISOFIX (x2)	●	●	●	●	●	●
Top tether (x4)	—	—	—	—	○ [^] #	○ [^] #
Top tether (x5)	●	●	●	●	●	●
Lane-keep Assist System (LAS) [†]	●	●	●	●	●	●
Left-hand-side convex (wide angle) exterior mirror	●	●	●	●	●	●
Parking sensors [†] front	●	●	●	●	●	●
rear	●	●	●	●	●	●
Rear Cross Traffic Alert (RCTA) [†]	●	●	●	●	●	●
Remote central locking (2 transmitters)	●	●	●	●	●	●
Reverse camera [†]	●	●	●	●	●	●
Seat-belt warning (front and rear)	●	●	●	●	●	●
Seat-belts (front) 3-point lap-sash with pretensioners, load-limiters and height adjustable shoulder anchorages	●	●	●	●	●	●
Seat-belts (rear) 3-point lap-sash with load-limiters	●	●	●	●	●	●
Side impact door beams	●	●	●	●	●	●

● = Standard, ○ = Option, ^ = Available as part of Takumi package, # = Available as part of SP package, — = Not available.

[†] Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.

SPECIFICATIONS

Safety and Security (Continued)		G50e Touring	D50e Touring	G50e GT	D50e GT	G50e Azami	D50e Azami
Smart Brake Support (SBS) [†]	Front with pedestrian and cycle detection	●	●	●	●	●	●
	Rear (SBS-R)	●	●	●	●	●	●
	Rear Crossing (SBS-RC)	●	●	●	●	●	●
	Turn-across Traffic	●	●	●	●	●	●
Traction Control System (TCS) [†]		●	●	●	●	●	●
Traffic Sign Recognition (TSR) [†]		●	●	●	●	●	●
'Triple H' safety construction with front and rear crumple zones		●	●	●	●	●	●
Tyre Pressure Monitoring System (TPMS) [†]		●	●	●	●	●	●
Whiplash-minimising front seats		●	●	●	●	●	●

● = Standard.

[†] Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.



Overseas model shown

ZOOM-ZOOM



For further information, visit [mazda.com.au](https://www.mazda.com.au) or Freecall 1800 034 411

All care is taken to ensure the accuracy of this brochure and availability of vehicles and features at the time of publication, however, to the extent permitted by law, Mazda Australia Pty Ltd will not be liable for any loss suffered or incurred by a purchaser or prospective purchaser if the content is inaccurate or not up to date, or if it withdraws any vehicles or features referred to in the brochure from the market. Specifications, features and model availability may vary from state to state and may change without notice. Please refer to [mazda.com.au](https://www.mazda.com.au) or consult your Mazda Dealer prior to placing an order to ascertain current information on model availability, specifications, options, features and prices. Mazda Australia Pty Ltd ABN 78 004 690 804. 211A Wellington Road, Mulgrave, Victoria 3170. iPod is a trademark of Apple Inc., registered in the US and other countries. Published July 2024. MAZ15557