

Overseas model shown

# MAZDA CX-60



ZOOM-ZOOM





## MAZDA CX-60 EVOLVE – STANDARD ACROSS EVERY GRADE

- » 10.25-inch full colour widescreen display (Mazda Connect)
- » Active driving display
- » 7-inch TFT LCD multi-information meter display (6-cylinder)
- » 12.3-inch TFT LCD multi-information meter display (PHEV)
- » 18-inch grey metallic alloy wheels
- » 360° view monitor†
- » 8 speaker audio with DAB+
- » Black Maztex trim with 8-way manual driver's seat adjustment
- » Bright "In-line 6" side signature (I6 3.3L)
- » Bright "PHEV" side signature (PHEV)
- » Blind Spot Monitoring (BSM) with egress support†
- » Body colour exterior mirrors
- » Cargo net
- » Exterior with power adjustment, auto fold, heating and auto dimming
- » Honeycomb grille
- » Front & Rear parking sensors
- » Gloss black side pillar garnish
- » Glove box illumination
- » Leather shift knob
- » Leather steering wheel
- » LED headlamps with auto on/off and High Beam Control (HBC)
- » Manual steering wheel adjustment
- » Overhead console with sunglass holder
- » Remote operated power tailgate (open/close)
- » Rear console with USB-C and 150W AC outlet
- » Rear power outlet socket with 1,500W AC (PHEV)
- » Dual-zone climate control with rear vents
- » Auto-dimming rear-view mirror
- » Satellite navigation
- » Smart Brake Support (SBS) with Turn-across traffic†
- » Advanced keyless entry
- » Vanity mirror with lamp
- » Apple Carplay and Android Auto (wireless and USB)§
- » Wireless phone charger§

## POWERTRAIN

### e-Skyactiv G

- » 3.3 litre in-line 6 cylinder 24 valve petrol turbo with M Hybrid Boost and i-stop
- » i-Activ AWD
- » 209 kW @ 5,000-6,000 rpm (max. power)
- » 450 Nm @ 2,000-3,500 rpm (max. torque)
- » Skyactiv-Drive 8-speed automatic transmission

### e-Skyactiv D

- » 3.3 litre in-line 6 cylinder 24 valve diesel turbo with M Hybrid Boost and i-stop
- » i-Activ AWD

- » 187 kW @ 3,750 rpm (max. power)
- » 550 Nm @ 1,500-2,400 rpm (max. torque)
- » Skyactiv-Drive 8-speed automatic transmission

### e-Skyactiv PHEV

- » 2.5 litre in-line 4 cylinder 16 valve petrol PHEV with i-stop
- » i-Activ AWD
- » 241 kW @ 6,000 rpm (max. power)
- » 500 Nm @ 4,000 rpm (max. power)
- » Skyactiv-Drive 8-speed automatic transmission

§ Please check the compatibility of your device (particularly your mobile phone) with the specific Mazda vehicle you intend to purchase as not all devices operate correctly. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.



## MAZDA CX-60 GT – ADDITIONAL TO EVOLVE

- » 12.3-inch full colour widescreen display (Mazda Connect)
- » 12.3-inch TFT LCD multi-information meter display
- » 20-inch black metallic alloy wheels
- » Gloss black exterior mirrors
- » Body-coloured wheel arches and lower cladding
- » Dark “In-line 6” side signature (I6 3.3L)
- » Dark “PHEV” side signature (PHEV)
- » Driver monitor†
- » Electric steering wheel adjustment
- » Gloss black honeycomb grille
- » Exterior mirror position memory
- » Hands-free remote operated power tailgate (open/close)
- » Heated steering wheel
- » Leather seats with power adjustment (driver & passenger) and position memory (driver)
- » LED headlamps with dark signature
- » Panoramic sunroof
- » Personalise system (auto restoration of settings)
- » Premium Bose amplifier and 12 speakers
- » Heated seats (front & outer rear)
- » Rear combination lights with signature illumination
- » Rear console with LED lamp

## POWERTRAIN

### e-Skyactiv G

- » 3.3 litre in-line 6 cylinder 24 valve petrol turbo with M Hybrid Boost and i-stop
- » i-Activ AWD
- » 209 kW @ 5,000-6,000 rpm (max. power)
- » 450 Nm @ 2,000-3,500 rpm (max. torque)
- » Skyactiv-Drive 8-speed automatic transmission

### e-Skyactiv D

- » 3.3 litre in-line 6 cylinder 24 valve diesel turbo with M Hybrid Boost and i-stop
- » i-Activ AWD

- » 187 kW @ 3,750 rpm (max. power)
- » 550 Nm @ 1,500-2,400 rpm (max. torque)
- » Skyactiv-Drive 8-speed automatic transmission

### e-Skyactiv PHEV

- » 2.5 litre in-line 4 cylinder 16 valve petrol PHEV with i-stop
- » i-Activ AWD
- » 241 kW @ 6,000 rpm (max. power)
- » 500 Nm @ 4,000 rpm (max. power)
- » Skyactiv-Drive 8-speed automatic transmission

† Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.



## MAZDA CX-60 AZAMI – ADDITIONAL TO GT

- » 20-inch black metallic and machined alloy wheels
- » 360° view monitor with see through view†
- » Adaptive LED Headlamps (ALH)†
- » Black nappa leather seat trim
- » Body colour exterior mirrors
- » Bright “In-line 6” side signature (I6 3.3L)
- » Bright “PHEV” side signature (PHEV)
- » Cruising & Traffic Support (CTS)†
- » Foot lamp
- » Frameless interior mirror
- » Ventilated seats (front)
- » Front bumper with bar type grille
- » Leather side door trim with courtesy lamp
- » LED headlamps with bright signature
- » Personalise system with Easy Entry & Driving position guide

## POWERTRAIN

### e-Skyactiv G

- » 3.3 litre in-line 6 cylinder 24 valve petrol turbo with M Hybrid Boost and i-stop
- » i-Activ AWD
- » 209 kW @ 5,000-6,000 rpm (max. power)
- » 450 Nm @ 2,000-3,500 rpm (max. torque)
- » Skyactiv-Drive 8-speed automatic transmission

### e-Skyactiv D

- » 3.3 litre in-line 6 cylinder 24 valve diesel turbo with M Hybrid Boost and i-stop
- » i-Activ AWD

- » 187 kW @ 3,750 rpm (max. power)
- » 550 Nm @ 1,500-2,400 rpm (max. torque)
- » Skyactiv-Drive 8-speed automatic transmission

### e-Skyactiv PHEV

- » 2.5 litre in-line 4 cylinder 16 valve petrol PHEV with i-stop
- » i-Activ AWD
- » 241 kW @ 6,000 rpm (max. power)
- » 500 Nm @ 4,000 rpm (max. power)
- » Skyactiv-Drive 8-speed automatic transmission

† Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.

## CHOOSE YOUR COLOUR AND INTERIOR TRIMS



Rhodium White  
Metallic~

Sonic Silver  
Metallic


Platinum Quartz  
Metallic

Soul Red Crystal  
Metallic~


Deep Crystal Blue  
Mica

Machine Grey  
Metallic~

Jet Black  
Mica




Black Maztex (Evolve)



Black leather (GT and  
Evolve Luxury package)#




Revera stone leather (GT)#



Black nappa leather  
(Azami)#



Tan nappa leather  
(Azami with SP package)#



Pure white nappa leather  
(Azami with Takumi  
package)#

~At extra cost. # Leather interior includes some Maztex material on selected high-impact surfaces.

# SPECIFICATIONS

## Model availability

				Evolve	GT	Azami
G40e	3.3L I6 e-Skyactiv G Petrol turbo with M Hybrid Boost	Skyactiv-Drive 8-speed automatic	AWD	●	●	●
D50e	3.3L I6 e-Skyactiv D Diesel turbo with M Hybrid Boost	Skyactiv-Drive 8-speed automatic	AWD	●	●	●
P50e	2.5L I4 e-Skyactiv PHEV	Skyactiv-Drive 8-speed automatic	AWD	●	●	●

## Options

### Vision Technology Package

### Vision Technology Package

### Luxury Package (In addition to Vision Technology)

### Takumi Package

### SP Package

<i>Optional on Evolve Standard on Azami</i>	<i>Optional on GT Standard on Azami</i>	<i>Optional on Evolve Standard on GT and Azami</i>	<i>Optional on Azami</i>	<i>Optional on Azami</i>
360° view monitor with see through view <sup>†</sup>	360° view monitor with see through view <sup>†</sup>	Heated front seats (driver and passenger)	Pure White nappa leather seat trim	Tan nappa leather seat trim
12.3-inch TFT LCD multi-information meter display <sup>^</sup>	Adaptive LED Headlamps (ALH) <sup>†</sup>	Black leather seat trim	Bright decoration panel	20-inch black metallic alloy wheels
Cruising & Traffic Support (CTS) <sup>†</sup>	Cruising & Traffic Support (CTS) <sup>†</sup>	Exterior mirror memory	Cloth dashboard panel with Kakenui stitching	Dark coloured side signature
Driver monitoring <sup>†</sup>	Front Cross Traffic Alert (FCTA) <sup>†</sup>	Power seat adjustment (driver & passenger) with position memory (driver)	White Maple wood console and door trim inserts	Gloss black honeycomb grille
Front Cross Traffic Alert (FCTA) <sup>†</sup>				Gloss black exterior mirrors
				LED headlamps with dark signature
				Suede finish dashboard panel
				Two-tone steering wheel

● = Standard

<sup>†</sup> Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. <sup>^</sup>Standard on P50E Evolve

## SPECIFICATIONS

Powertrain		3.3L In-line 6-cylinder e-Skyactiv G	3.3L In-line 6-cylinder e-Skyactiv D	2.5L e-Skyactiv PHEV
Bore and stroke (mm)		86 x 94.2	86 x 94.2	89 x 100.0
Compression ratio		12.0 : 1	15.2 : 1	13.0 : 1
Drive system		i-Activ AWD	i-Activ AWD	i-Activ AWD
Emissions standard		----- Euro stage 5 -----		
Engine capacity (cc)		3,283	3,283	2,488
Engine type		3.3 litre turbo in-line 6 cylinder 24 valve DOHC petrol (Skyactiv-G)	3.3 litre turbo in-line 6 cylinder 24 valve DOHC diesel (Skyactiv-D)	2.5 litre in-line 4 cylinder 16 valve DOHC petrol (Skyactiv-G)
High Voltage Battery	Type	—	—	Lithium ion
	Voltage	—	—	355
High Voltage Battery capacity (kWh)		—	—	17.8
Charging (AC)	Port type	—	—	Type 2
	Maximum charging rate (kW)	—	—	7.2
	Approximate charging time at maximum rate (from 20% to 80%)	—	—	90 min
Electrification		M Hybrid Boost (48V mild hybrid)	M Hybrid Boost (48V mild hybrid)	Plug-In Hybrid (PHEV)
Fuel consumption (l/100km) <sup>6</sup> :	combined	7.4	4.9	2.1
	extra-urban	6.0	4.7	—
	urban	9.8	5.2	—
Electric Range (km)*:		N/A	N/A	76
CO <sub>2</sub> emissions (g/km)*:	combined	171	128	49
Fuel system		Electronic direct injection	Common rail, electronic direct injection	Electronic direct injection
Fuel tank capacity (litres)		58	58	50

\* Fuel consumption, electric range and CO<sub>2</sub> figures are based on ADR 81/02 test results. They are useful in comparing different vehicles. They may not be the results achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.

## SPECIFICATIONS

Powertrain (Continued)		3.3L In-line 6-cylinder e-Skyactiv G	3.3L In-line 6-cylinder e-Skyactiv D	2.5L e-Skyactiv PHEV
Gear ratio - Manual / Auto:	1st	5.258	5.258	5.258
	2nd	3.303	3.303	3.303
	3rd	2.129	2.129	2.129
	4th	1.705	1.705	1.705
	5th	1.300	1.300	1.300
	6th	1.000	1.000	1.000
	7th	0.822	0.822	0.822
	8th	0.628	0.628	0.628
	Reverse	4.034	4.034	4.034
	Final drive	3.692	3.692	4.444
Maximum power		209 kW @ 5,000 – 6,000 rpm	187 kW @ 3,750 rpm	241 kW @ 6,000 rpm
Maximum torque		450 Nm @ 2,000 – 3,500 rpm	550 Nm @ 1,500 – 2,400 rpm	500 Nm @ 4,000 rpm
Recommended fuel		Unleaded or E10 (91RON or higher)	Diesel	Unleaded (95RON or higher)
Throttle control		Electronic (drive-by-wire)	Electronic (drive-by-wire)	Electronic (drive-by-wire)
Transmission:		8-speed automatic (Skyactiv-Drive)	8-speed automatic (Skyactiv-Drive)	8-speed automatic (Skyactiv-Drive)



# SPECIFICATIONS

Chassis and Powertrain Technologies		G40e Evolve	D50e Evolve	P50e Evolve	G40e GT	D50e GT	P50e GT	G40e Azami	D50e Azami	P50e Azami
Automatic transmission kickdown switch		●	●	●	●	●	●	●	●	●
Brake by Wire		●	●	●	●	●	●	●	●	●
Electric Parking Brake with Auto Hold		●	●	●	●	●	●	●	●	●
Electric power assist steering		●	●	●	●	●	●	●	●	●
Electronic gear shifter		●	●	●	●	●	●	●	●	●
Hill Launch Assist (HLA)		●	●	●	●	●	●	●	●	●
i-stop		●	●	●	●	●	●	●	●	●
Mi-Drive	Sport mode	●	●	●	●	●	●	●	●	●
	Off-road mode	●	●	●	●	●	●	●	●	●
	Towing mode <sup>¶</sup>	●	●	●	●	●	●	●	●	●
	EV mode	—	—	●	—	—	●	—	—	●
Skyactiv-Body		●	●	●	●	●	●	●	●	●
Skyactiv-Chassis		●	●	●	●	●	●	●	●	●
Skyactiv-Vehicle Dynamics	G-Vectoring Control Plus (GVC-Plus)	●	●	●	●	●	●	●	●	●
	Kinetic Posture Control (KPC)	●	●	●	●	●	●	●	●	●
Paddle shift gear control		●	●	●	●	●	●	●	●	●
M Hybrid Boost		●	●	—	●	●	—	●	●	—
Plug-in Hybrid		—	—	●	—	—	●	—	—	●

● = Standard, — = Not available.

¶ When fitted with a Mazda Genuine Towing Kit.

# SPECIFICATIONS

## Chassis and Powertrain Technologies (Continued)

Chassis and Powertrain Technologies (Continued)		G40e Evolve	D50e Evolve	P50e Evolve	G40e GT	D50e GT	P50e GT	G40e Azami	D50e Azami	P50e Azami
Brake diameter (mm):	front	347	328	347	347	328	347	347	328	347
	rear	----- 328 -----								
Brake type:	front	----- Ventilated disc -----								
	rear	----- Ventilated disc -----								
Steering type		----- Rack-and-pinion with electric power assistance -----								
Suspension:	front	----- Double wishbone -----								
	rear	----- Multi-link -----								
Turning circle kerb to kerb (m)		----- 10.8 -----								
Tyre size		----- 235/60 R18 -----			----- 235/50 R20 -----					
Tyre index										
Wheel size		----- 18x7-1/2J -----			----- 20x7-1/2J -----					
Wheel type		----- Alloy -----								
Tyre size (spare)		T155/90D18 113M		Repair kit	T155/90D18 113M		Repair kit	T155/90D18 113M		Repair kit
Wheel type (spare)		Temporary (steel)			Temporary (steel)			Temporary (steel)		

# SPECIFICATIONS

Dimensions		G40e Evolve	D50e Evolve	P50e Evolve	G40e GT	D50e GT	P50e GT	G40e Azami	D50e Azami	P50e Azami
Ground clearance with 75kg driver (mm)		-----170-----			----- 175 -----					
Overall length (mm)		----- 4,740 -----								
Overall width (mm)	Excluding mirrors	----- 1,890 -----								
	Mirrors folded	----- 1,949 -----								
	Mirrors open	----- 2,134 -----								
Overall height (mm)		-----1,675-----			----- 1,680 -----					
Track (mm):	Front	----- 1,640 -----								
	Rear	----- 1,645 -----								
Wheelbase (mm)		----- 2,870 -----								

Weights and Capacities		G40e Evolve	D50e Evolve	P50e Evolve	G40e GT	D50e GT	P50e GT	G40e Azami	D50e Azami	P50e Azami
Cargo room volume VDA (litres)	all seats up to rear package tray (or seatback) w/ underfloor storage space	----- 477 -----								
Cargo room volume VDA (litres)	2nd row seats down, up to ceiling w/ underfloor storage space	----- 1,726 -----								
Gross Vehicle Mass (GVM) (kg) <sup>2</sup>		2,500	2,501	2,683	2,500	2,501	2,683	2,500	2,501	2,683
Kerb weight (kg) <sup>3</sup> :		1,921	1,963	2,111	1,949	1,990	2,139	1,949	1,990	2,139
Payload (kg) <sup>4</sup>		579	538	572	551	511	544	551	511	544
Towing capacity <sup>¶</sup> (kg):	Braked	2,500	2,000	2,500	2,500	2,000	2,500	2,500	2,000	2,500
	Unbraked	----- 750 -----								
Tow-ball download maximum <sup>¶</sup> (kg)		----- 150 -----								

¶ When fitted with a Mazda Genuine Towing Kit. Subject to State or Territory regulations.

(2) Gross Vehicle Mass (GVM) is the total permissible weight of the vehicle including occupants, fuel and cargo.

(3) Kerb weight is the unladen weight of the vehicle including all fluids and a full tank of fuel.

(4) Maximum payload weight is calculated as the difference between GVM and kerb weight. The weight of any vehicle occupants, options, accessories, modifications, cargo and tow ball download must be included when calculating payload weight.

# SPECIFICATIONS

Exterior	G40e Evolve	D50e Evolve	P50e Evolve	G40e GT	D50e GT	P50e GT	G40e Azami	D50e Azami	P50e Azami
Daytime running lamps (LED)	●	●	●	●	●	●	●	●	●
Door handles (body coloured)	●	●	●	●	●	●	●	●	●
Front and rear bumpers (body coloured)	●	●	●	●	●	●	●	●	●
Green-tinted windscreen, side and rear windows	●	●	●	●	●	●	●	●	●
Headlamps	LED	●	●	●	●	●	●	●	●
	auto on/off function	●	●	●	●	●	●	●	●
Exterior mirrors	body-colour	●	●	●	—	—	●	●	●
	gloss black	—	—	—	●	●	○ <sup>#</sup>	○ <sup>#</sup>	○ <sup>#</sup>
	auto dimming function (driver)	●	●	●	●	●	●	●	●
	power adjustment	●	●	●	●	●	●	●	●
	2-position memory	○ <sup>*</sup>	○ <sup>*</sup>	○ <sup>*</sup>	●	●	●	●	●
	auto folding	●	●	●	●	●	●	●	●
heated	●	●	●	●	●	●	●	●	
Power sliding panoramic sun-roof	—	—	—	●	●	●	●	●	●
Power windows	with auto up/down (all windows)	●	●	●	●	●	●	●	●
	with remote open	●	●	●	●	●	●	●	●
Rear spoiler	●	●	●	●	●	●	●	●	●
Remote operated power tailgate (open/close)	●	●	●	—	—	—	—	—	—
Hands-free remote operated power tailgate (open/close)	—	—	—	●	●	●	●	●	●
Tail-lamps (LED)	●	●	●	●	●	●	●	●	●
Window demister (rear)	●	●	●	●	●	●	●	●	●
Wipers (front) 2-speed with rain-sensing function	●	●	●	●	●	●	●	●	●
Wiper (rear) with intermittent function	●	●	●	●	●	●	●	●	●

● = Standard, ○<sup>\*</sup> = Available as part of optional Luxury package, ○<sup>#</sup> = Available as part of optional SP package, — = Not available

# SPECIFICATIONS

Seats		G40e Evolve	D50e Evolve	P50e Evolve	G40e GT	D50e GT	P50e GT	G40e Azami	D50e Azami	P50e Azami
Seat trim:	Black Maztex	●	●	●	—	—	—	—	—	—
	Black leather <sup>1</sup>	○*	○*	○*	●	●	●	—	—	—
	Revera Stone Leather <sup>1</sup>	—	—	—	○	○	○	—	—	—
	Black nappa Leather <sup>1</sup>	—	—	—	—	—	—	●	●	●
	Pure White nappa Leather <sup>1</sup>	—	—	—	—	—	—	○^	○^	○^
	Tan nappa leather with quilting <sup>1</sup>	—	—	—	—	—	—	○#	○#	○#
Front seats with:	10-way power adjustment (driver)	○*	○*	○*	●	●	●	●	●	●
	2-position memory (driver)	○*	○*	○*	●	●	●	●	●	●
	8-way power adjustment (passenger)	○*	○*	○*	●	●	●	●	●	●
	Adjustable head restraints	●	●	●	●	●	●	●	●	●
	Heating	○*	○*	○*	●	●	●	●	●	●
	Height adjustment	●	●	●	●	●	●	●	●	●
	Lumbar adjustment (driver)	○*	○*	○*	●	●	●	●	●	●
	Rake and slide adjustment	●	●	●	●	●	●	●	●	●
	Seat back pocket (driver and passenger)	●	●	●	●	●	●	●	●	●
	Ventilation	—	—	—	—	—	—	●	●	●
Rear seats with:	40/20/40 split fold backrest	●	●	●	●	●	●	●	●	●
	Adjustable head restraints	●	●	●	●	●	●	●	●	●
	Centre fold down armrest	●	●	●	●	●	●	●	●	●
	Heating (outer seats)	—	—	—	●	●	●	●	●	●

● = Standard, ○\* = Available as part of optional Luxury package, ○^ = Available as part of optional Takumi package, ○# = Available as part of optional SP package, — = Not available

<sup>1</sup> Leather interior includes some Maztex material on selected high impact surfaces.

# SPECIFICATIONS

Interior		G40e Evolve	D50e Evolve	P50e Evolve	G40e GT	D50e GT	P50e GT	G40e Azami	D50e Azami	P50e Azami
12-volt auxilliary power outlet		●	●	●	●	●	●	●	●	●
AC Power Outlet	150W	●	●	●	●	●	●	●	●	●
	1,500W	—	—	●	—	—	●	—	—	●
Active Driving Display		●	●	●	●	●	●	●	●	●
Air-conditioning (dual-zone climate control) with rear vents		●	●	●	●	●	●	●	●	●
Ambient temperature display		●	●	●	●	●	●	●	●	●
Centre armrest console with tray		●	●	●	●	●	●	●	●	●
Critical function warning lights/chimes		●	●	●	●	●	●	●	●	●
Cruise control		●	●	●	●	●	●	●	●	●
Cupholders		●	●	●	●	●	●	●	●	●
Door bottle holders	Front and rear	●	●	●	●	●	●	●	●	●
Electric Parking Brake (EPB) with Auto Hold		●	●	●	●	●	●	●	●	●
Electric steering wheel adjustment		—	—	—	●	●	●	●	●	●
Glove box	with LED lamp	●	●	●	●	●	●	●	●	●
i-Adaptive Cruise Control (i-ACC)		●	●	●	●	●	●	●	●	●
Instrument panel light dimmer		●	●	●	●	●	●	●	●	●
Interior illumination:	Ambient lighting	—	—	—	—	—	—	●	●	●
	Cargo room lamp	●	●	●	●	●	●	●	●	●
	Entry system with delayed fade	●	●	●	●	●	●	●	●	●
	Map reading spot lamps	●	●	●	●	●	●	●	●	●
Leather-wrapped:	Gear shift knob	●	●	●	●	●	●	●	●	●
	Steering wheel	●	●	●	●	●	●	●	●	●
Mi-Drive		●	●	●	●	●	●	●	●	●
Multi-information meter display	7-inch	●	●	—	—	—	—	—	—	—
	12.3-inch	○*	○*	●	●	●	●	●	●	●
One touch (up and down) power windows (all)		●	●	●	●	●	●	●	●	●

● = Standard, ○\* = Available as part of optional Vision Technology or Luxury packages , — = Not available

## SPECIFICATIONS

Interior (Continued)	G40e Evolve	D50e Evolve	P50e Evolve	G40e GT	D50e GT	P50e GT	G40e Azami	D50e Azami	P50e Azami
Overhead sunglass storage box	●	●	●	●	●	●	●	●	●
Personalise System	Auto restoration of settings	—	—	—	●	●	●	●	●
	Easy entry & driving position guide	—	—	—	—	—	●	●	●
Rear-view mirror with auto dimming function	●	●	●	●	●	●	●	●	●
Remote window open	●	●	●	●	●	●	●	●	●
Tachometer and electronic odometer/ tripmeter	●	●	●	●	●	●	●	●	●
Tilt and telescopic adjustable steering wheel	●	●	●	●	●	●	●	●	●
Trip Computer	●	●	●	●	●	●	●	●	●
USB-C charging points	front	●	●	●	●	●	●	●	●
	rear	●	●	●	●	●	●	●	●
Vanity mirrors (front)	●	●	●	●	●	●	●	●	●
	with illumination	●	●	●	●	●	●	●	●

● = Standard, — = Not available.

# SPECIFICATIONS

Infotainment		G40e Evolve	D50e Evolve	P50e Evolve	G40e GT	D50e GT	P50e GT	G40e Azami	D50e Azami	P50e Azami
Apple® CarPlay <sup>3</sup>	wireless & USB	●	●	●	●	●	●	●	●	●
Android® Auto <sup>3</sup>	wireless & USB	●	●	●	●	●	●	●	●	●
Bluetooth® hands-free phone and audio capability <sup>3</sup>		●	●	●	●	●	●	●	●	●
Multi-function commander control		●	●	●	●	●	●	●	●	●
Premium Bose® amplifier and speakers		—	—	—	●	●	●	●	●	●
Radio	AM/FM tuner	●	●	●	●	●	●	●	●	●
	DAB+ digital radio	●	●	●	●	●	●	●	●	●
	Radio Data System (RDS)	●	●	●	●	●	●	●	●	●
Satellite navigation		●	●	●	●	●	●	●	●	●
Speakers	8	●	●	●	—	—	—	—	—	—
	12	—	—	—	●	●	●	●	●	●
Steering wheel-mounted audio controls		●	●	●	●	●	●	●	●	●
USB-audio input port	USB-C	●	●	●	●	●	●	●	●	●
Widescreen colour infotainment display (Mazda Connect)	10.25-inch	●	●	●	—	—	—	—	—	—
	12.3-inch	—	—	—	●	●	●	●	●	●
Wireless phone charger <sup>3</sup>		●	●	●	●	●	●	●	●	●

● = Standard, — = Not available.

<sup>3</sup> Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features.



# SPECIFICATIONS

Safety and Security	G40e Evolve	D50e Evolve	P50e Evolve	G40e GT	D50e GT	P50e GT	G40e Azami	D50e Azami	P50e Azami
360° View Monitor†	●	●	●	●	●	●	●	●	●
with See-Through View	○*	○*	○*	○*	○*	○*	●	●	●
Adaptive LED Headlights (ALH)	—	—	—	○*	○*	○*	●	●	●
Advanced keyless entry with push-button engine start	●	●	●	●	●	●	●	●	●
Airbags SRS:									
Front (driver and passenger)	●	●	●	●	●	●	●	●	●
Side (front and rear)	●	●	●	●	●	●	●	●	●
Curtain (front and rear)	●	●	●	●	●	●	●	●	●
Far-side (driver)	●	●	●	●	●	●	●	●	●
Knee (driver)	●	●	●	●	●	●	●	●	●
Anti-lock Braking System (ABS)	●	●	●	●	●	●	●	●	●
Blind Spot Monitoring (BSM) with Vehicle Exit Warning	●	●	●	●	●	●	●	●	●
Childproof rear door locks	●	●	●	●	●	●	●	●	●
Cruising & Traffic Support (CTS)†	○*	○*	○*	○*	○*	○*	●	●	●
Driver Attention Alert (DAA)†	●	●	●	●	●	●	●	●	●
Driver Monitoring†	○*	○*	○*	●	●	●	●	●	●
Dynamic Stability Control (DSC)†	●	●	●	●	●	●	●	●	●
Electronic Brake-force Distribution (EBD)	●	●	●	●	●	●	●	●	●
Emergency Brake Assist (EBA)	●	●	●	●	●	●	●	●	●
Emergency Lane Keeping†									
with Road Keep Assist	●	●	●	●	●	●	●	●	●
with Blind Spot Assist	●	●	●	●	●	●	●	●	●
Emergency Stop Signal (ESS)	●	●	●	●	●	●	●	●	●
Engine immobiliser	●	●	●	●	●	●	●	●	●
Forward Obstruction Warning (FOW)†	●	●	●	●	●	●	●	●	●
Front Cross Traffic Alert (FCTA)†	○*	○*	○*	○*	○*	○*	●	●	●
G-Vectoring Control Plus (GVC-Plus)†	●	●	●	●	●	●	●	●	●
High Beam Control (HBC)†	●	●	●	●	●	●	●	●	●

● = Standard, ○\* = Available as part of optional Vision Technology, — = Not available

† Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.

# SPECIFICATIONS

Safety and Security (Continued)	G40e Evolve	D50e Evolve	P50e Evolve	G40e GT	D50e GT	P50e GT	G40e Azami	D50e Azami	P50e Azami
High mount stop lamp	●	●	●	●	●	●	●	●	●
Hill Descent Control (HDC) <sup>†</sup>	●	●	●	●	●	●	●	●	●
Hill Launch Assist (HLA)	●	●	●	●	●	●	●	●	●
ISOFIX child restraint anchor points and top tethers	●	●	●	●	●	●	●	●	●
Lane-keep Assist System (LAS) <sup>†</sup>	●	●	●	●	●	●	●	●	●
Left-hand-side convex (wide angle) exterior mirror	●	●	●	●	●	●	●	●	●
Parking sensors <sup>†</sup>	front	●	●	●	●	●	●	●	●
	rear	●	●	●	●	●	●	●	●
Rear Cross Traffic Alert (RCTA) <sup>†</sup>	●	●	●	●	●	●	●	●	●
Remote central locking (2 transmitters)	●	●	●	●	●	●	●	●	●
Reverse camera <sup>†</sup>	●	●	●	●	●	●	●	●	●
Seat-belt warning (front and rear)	●	●	●	●	●	●	●	●	●
Seat-belts (front) 3-point lap-sash with pretensioners, load-limiters and height adjustable shoulder anchorages	●	●	●	●	●	●	●	●	●
Seat-belts (rear) 3-point lap-sash with load-limiters	●	●	●	●	●	●	●	●	●
Side impact door beams	●	●	●	●	●	●	●	●	●
Smart Brake Support (SBS) <sup>†</sup>	Front with pedestrian and cycle detection	●	●	●	●	●	●	●	●
	Rear (SBS-R)	●	●	●	●	●	●	●	●
	Rear Crossing (SBS-RC)	●	●	●	●	●	●	●	●
	Turn-across Traffic	●	●	●	●	●	●	●	●
Traction Control System (TCS) <sup>†</sup>	●	●	●	●	●	●	●	●	●
Traffic Sign Recognition (TSR) <sup>†</sup>	●	●	●	●	●	●	●	●	●
'Triple H' safety construction with front and rear crumple zones	●	●	●	●	●	●	●	●	●
Tyre Pressure Monitoring System (TPMS) <sup>†</sup>	●	●	●	●	●	●	●	●	●
Whiplash-minimising front seats	●	●	●	●	●	●	●	●	●

● = Standard.

<sup>†</sup> Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.

Overseas model shown



ZOOM-ZOOM



For further information, visit [mazda.com.au](https://www.mazda.com.au) or Freecall 1800 034 411

All care is taken to ensure the accuracy of this brochure and availability of vehicles and features at the time of publication, however, to the extent permitted by law, Mazda Australia Pty Ltd will not be liable for any loss suffered or incurred by a purchaser or prospective purchaser if the content is inaccurate or not up to date, or if it withdraws any vehicles or features referred to in the brochure from the market. Specifications, features and model availability may vary from state to state and may change without notice. Please refer to [mazda.com.au](https://www.mazda.com.au) or consult your Mazda Dealer prior to placing an order to ascertain current information on model availability, specifications, options, features and prices. Mazda Australia Pty Ltd ABN 78 004 690 804. 211A Wellington Road, Mulgrave, Victoria 3170. iPod is a trademark of Apple Inc., registered in the US and other countries. Published July 2024. MAZ15556