

Wash salt water to avoid corrosion.

# MAZDA BT-50



ZOOM-ZOOM







Wash salt water to avoid corrosion.



## MAZDA BT-50 SINGLE CAB XS

- » 17-inch steel wheels
- » Headlamps (LED)
- » Exterior mirrors (body coloured) with power adjustment
- » Seat trim: Black cloth
- » Air-conditioning
- » Power windows
- » Vinyl floor covering
- » Cruise control
- » Adaptive Cruise Control (ACC) with Stop & Go<sup>†</sup>
- » 7-inch full-colour touch screen
- » Apple Carplay<sup>®</sup> (wireless & USB) and Android<sup>®</sup> Auto (USB)<sup>§</sup>
- » Bluetooth<sup>®</sup> hands-free phone and audio capability<sup>§</sup>
- » DAB+ digital radio
- » Reverse camera
- » Airbags SRS: front (driver & passenger), side, curtain, knee (driver), far-side (driver)
- » Anti-lock Braking System (ABS)<sup>†</sup>
- » Attention Assist<sup>†</sup>
- » Autonomous Emergency Braking (AEB)<sup>†</sup>
- » Blind Spot Monitor (BSM)<sup>†</sup>
- » Dynamic Stability Control (DSC)<sup>†</sup>
- » Emergency Lane Keeping (ELK) - Overtaking<sup>†</sup>
- » Emergency Stop Signal (ESS)<sup>†</sup>
- » Automatic High Beam (AHB)<sup>†</sup>
- » Hill Descent Control (HDC)<sup>†</sup>
- » Hill Launch Assist (HLA)<sup>†</sup>
- » Lane Departure Warning (LDW)<sup>†</sup>
- » Lane Departure Prevention (LDP)<sup>†</sup>
- » Lane-keep Assist System (LAS)<sup>†</sup>

## POWERTRAIN

- » Rear Cross Traffic Alert (RCTA)<sup>†</sup>
- » Roll Over Protection (ROP)<sup>†</sup>
- » Secondary Collision Reduction<sup>†</sup>
- » Speed Assist System<sup>†</sup>
- » Traction Control System (TCS)<sup>†</sup>
- » Turn Assist<sup>†</sup>
- » 1.9 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel
- » Drivetrain: 4x2
- » Max power: 110kW @ 3,600rpm
- » Max torque: 350Nm @ 1,800-2,600rpm
- » Fuel consumption (combined): 7.0L/100km\* (4x2 auto)

§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. \* Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.





Wash salt water to avoid corrosion.



## MAZDA BT-50 SINGLE CAB XT

- » 17-inch alloy wheels
- » Headlamps (LED)
- » Exterior mirrors (body coloured) with power adjustment
- » Seat trim: Black cloth
- » Air-conditioning
- » Power windows
- » Vinyl floor covering
- » Cruise control
- » Adaptive Cruise Control (ACC) with Stop & Go (automatic models)<sup>†</sup>
- » 7-inch full-colour touch screen
- » Apple Carplay<sup>®</sup> (wireless & USB) and Android<sup>™</sup> Auto (USB)<sup>§</sup>
- » Bluetooth<sup>®</sup> hands-free phone and audio capability<sup>§</sup>
- » DAB+ digital radio
- » Reverse camera
- » Airbags SRS: front (driver & passenger), side, curtain, knee (driver), far-side (driver)
- » Anti-lock Braking System (ABS)<sup>†</sup>
- » Attention Assist<sup>†</sup>
- » Autonomous Emergency Braking (AEB)<sup>†</sup>
- » Blind Spot Monitor (BSM)<sup>†</sup>
- » Dynamic Stability Control (DSC)<sup>†</sup>
- » Emergency Lane Keeping (ELK) — Overtaking<sup>†</sup>
- » Emergency Stop Signal (ESS)<sup>†</sup>
- » Automatic High Beam (AHB)<sup>†</sup>
- » Hill Descent Control (HDC)<sup>†</sup>
- » Hill Launch Assist (HLA)<sup>†</sup>
- » Lane Departure Warning (LDW)<sup>†</sup>
- » Lane Departure Prevention (LDP)<sup>†</sup>
- » Lane-keep Assist System (LAS) (automatic models)<sup>†</sup>

## POWERTRAIN

- » Locking Rear Differential (LRD) - switchable on/off (4x4 models)
- » Rear Cross Traffic Alert (RCTA)<sup>†</sup>
- » Roll Over Protection (ROP)<sup>†</sup>
- » Secondary Collision Reduction<sup>†</sup>
- » Speed Assist System<sup>†</sup>
- » Traction Control System (TCS)<sup>†</sup>
- » Turn Assist<sup>†</sup>
- » 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel
- » Drivetrain: 4x2 or 4x4
- » Max power: 140kW @ 3,600 rpm
- » Max torque: 450Nm @ 1,600 — 2,600rpm
- » Fuel consumption (combined): 8.0L/100km\* (4x2 auto) or 8.0L/100km\* (4x4, man) or 8.0L/100km\* (4x4, auto)

§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. \* Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.





Wash salt water to avoid corrosion.



## MAZDA BT-50 FREESTYLE CAB XT

- » 17-inch alloy wheels
- » Freestyle door system
- » Headlamps (LED)
- » Exterior mirrors (body coloured) with power adjustment
- » Seat trim: Black cloth
- » Air-conditioning
- » Power windows
- » Vinyl floor covering
- » Cruise control
- » Adaptive Cruise Control (ACC) with Stop & Go (automatic models)<sup>†</sup>
- » 7-inch full-colour touch screen
- » Apple Carplay<sup>®</sup> (wireless & USB) and Android<sup>™</sup> Auto (USB)<sup>§</sup>
- » Bluetooth<sup>®</sup> hands-free phone and audio capability<sup>§</sup>
- » DAB+ digital radio
- » Reverse camera
- » Airbags SRS: front (driver & passenger), side, curtain, knee (driver), far-side (driver)
- » Anti-lock Braking System (ABS)<sup>†</sup>
- » Attention Assist<sup>†</sup>
- » Autonomous Emergency Braking (AEB)<sup>†</sup>
- » Blind Spot Monitor (BSM)<sup>†</sup>
- » Dynamic Stability Control (DSC)<sup>†</sup>
- » Emergency Lane Keeping (ELK) — Overtaking<sup>†</sup>
- » Emergency Stop Signal (ESS)<sup>†</sup>
- » Automatic High Beam (AHB)<sup>†</sup>
- » Hill Descent Control (HDC)<sup>†</sup>
- » Hill Launch Assist (HLA)<sup>†</sup>
- » Lane Departure Warning (LDW)<sup>†</sup>
- » Lane Departure Prevention (LDP)<sup>†</sup>

## POWERTRAIN

- » Lane-keep Assist System (LAS) (automatic models)<sup>†</sup>
- » Locking Rear Differential (LRD) - switchable on/off (4X4 models)
- » Rear Cross Traffic Alert (RCTA)<sup>†</sup>
- » Roll Over Protection (ROP)<sup>†</sup>
- » Secondary Collision Reduction<sup>†</sup>
- » Speed Assist System<sup>†</sup>
- » Traction Control System (TCS)<sup>†</sup>
- » Turn Assist<sup>†</sup>
- » 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel
- » Drivetrain: 4x2 or 4x4
- » Max power: 140kW @ 3,600 rpm
- » Max torque: 450Nm @ 1,600 — 2,600rpm
- » Fuel consumption (combined): 8.0L/100km\* (4x2 auto) or 8.0L/100km\* (4x4, man) or 8.0L/100km\* (4x4, auto)

§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. \* Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.





Wash salt water to avoid corrosion.



## MAZDA BT-50 DUAL CAB XT

- » 17-inch alloy wheels
- » Headlamps (LED)
- » Exterior mirrors (body coloured) with power adjustment
- » Seat trim: Black cloth
- » Air-conditioning with rear vents
- » Power windows
- » Vinyl floor covering
- » Cruise control
- » Adaptive Cruise Control (ACC) with Stop & Go (automatic models)<sup>†</sup>
- » 7-inch full-colour touch screen
- » Apple Carplay<sup>®</sup> (wireless & USB) and Android<sup>™</sup> Auto (USB)<sup>§</sup>
- » Bluetooth<sup>®</sup> hands-free phone and audio capability<sup>§</sup>
- » DAB+ digital radio
- » Reverse camera
- » Rear seat USB charging point
- » Airbags SRS: front (driver & passenger), side, curtain, knee (driver), far-side (driver)
- » Anti-lock Braking System (ABS)<sup>†</sup>
- » Attention Assist<sup>†</sup>
- » Autonomous Emergency Braking (AEB)<sup>†</sup>
- » Blind Spot Monitor (BSM)<sup>†</sup>
- » Dynamic Stability Control (DSC)<sup>†</sup>
- » Emergency Lane Keeping (ELK) — Overtaking<sup>†</sup>
- » Emergency Stop Signal (ESS)<sup>†</sup>
- » Automatic High Beam (AHB)<sup>†</sup>
- » Hill Descent Control (HDC)<sup>†</sup>
- » Hill Launch Assist (HLA)<sup>†</sup>
- » Lane Departure Warning (LDW)<sup>†</sup>
- » Lane Departure Prevention (LDP)<sup>†</sup>
- » Lane-keep Assist System (LAS) (automatic models)<sup>†</sup>

## POWERTRAIN

- » Locking Rear Differential (LRD) — A switchable on/off (4X4 models)
- » Rear Cross Traffic Alert (RCTA)<sup>†</sup>
- » Rear parking sensors (Pickup models only)
- » Roll Over Protection (ROP)<sup>†</sup>
- » Rough Terrain Mode<sup>†</sup> (4X4 models only)
- » Secondary Collision Reduction<sup>†</sup>
- » Speed Assist System<sup>†</sup>
- » Traction Control System (TCS)<sup>†</sup>
- » Turn Assist<sup>†</sup>
- » 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel
- » Drivetrain: 4x2 or 4x4
- » Max power: 140kW @ 3,600 rpm
- » Max torque: 450Nm @ 1,600 — 2,600rpm
- » Fuel consumption (combined): 8.0L/100km\* (4x2 cab chassis auto) or 7.7L/100km\* (4x2 pickup auto) or 8.0L/100km\* (4x4 cab chassis man/auto) or 7.7L/100km\* (4x4 pickup man) or 8.0L/100km\* (4x4 pickup auto)

§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. \* Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.





Wash salt water to avoid corrosion.



## MAZDA BT-50 DUAL CAB XTR – ADDITIONAL TO XT

- » 18-inch black and machined alloy wheels
- » Exterior mirrors with power folding function
- » Front fog lamps (LED)
- » Side steps (silver)
- » Signature daytime running lamps
- » Carpet floor covering
- » Headlamps (LED) with signature illumination and auto levelling
- » Dual zone climate control air-conditioning with rear vents
- » Leather<sup>#</sup> wrapped steering wheel and gear knob
- » Auto-dimming interior mirror
- » Rear seat with centre armrest
- » 9-inch full-colour touch screen
- » Satellite navigation
- » Advanced keyless entry
- » Tyre Pressure Monitoring System (TPMS)

## POWERTRAIN

- » 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel
- » Drivetrain: 4x2 or 4x4
- » Max power: 140kW @ 3,600 rpm
- » Max torque: 450Nm @ 1,600 – 2,600rpm
- » Fuel consumption (combined): 7.7L/100km\* (4x2 auto) or 7.7L/100km\* (4x4, man) or 8.0L/100km\* (4x4, auto)

§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. \*Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven. #Leather interior includes some Maztex material on selected high impact surfaces.





## MAZDA BT-50 DUAL CAB GT – ADDITIONAL TO XTR

- » Exterior mirrors (chrome) with heating function
- » Seat trim: Brown leather<sup>#</sup>
- » Driver's seat with 8-way power adjustment
- » Heated front seats
- » Remote engine start (automatic models)<sup>^</sup>
- » Front parking sensors (pickup model only)

## POWERTRAIN

- » 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel
- » Drivetrain: 4x4
- » Max power: 140kW @ 3,600 rpm
- » Max torque: 450Nm @ 1,600 – 2,600rpm
- » Fuel consumption (combined): 8.0L/100km\* (4x4 auto)

§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. \*Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven. <sup>#</sup>Leather interior includes some Maztex material on selected high impact surfaces. <sup>^</sup>Please check relevant state or territory road/road safety/traffic rules or regulations before using Remote Engine Start.





## MAZDA BT-50 DUAL CAB SP – ADDITIONAL TO GT

- » 18-inch black metallic alloy wheels
- » Gloss black sail plane sports bar
- » Grey side steps
- » Gloss black fender flares
- » Grey roof rails
- » Gloss black exterior mirrors
- » Gloss black door and tailgate handles
- » Roller tonneau cover (manual operation)
- » Black grille with gunmetal signature wing
- » Seat trim: Black & Driftwood leather#
- » Tub Liner

## POWERTRAIN

- » 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel
- » Drivetrain: 4x4
- » Max power: 140kW @ 3,600rpm
- » Max torque: 450Nm @ 1,600-2,600rpm
- » Fuel consumption (combined): 8.0L/100km\* (4x4 auto)

\*Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven. #Leather interior includes some Maztex material on selected high impact surfaces.





## MAZDA BT-50 DUAL CAB THUNDER — ADDITIONAL TO GT

- » 18-inch black alloy wheels
- » Black single hoop bull bar
- » Black alloy sports bar
- » Black side steps
- » Black fender flares
- » Electric roller tonneau cover
- » Lightforce® 20-inch dual-row LED lightbar
- » “Thunder” decals
- » Tub liner

## POWERTRAIN

- » 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel
- » Drivetrain: 4x4
- » Max power: 140kW @ 3,600 rpm
- » Max torque: 450Nm @ 1,600-2,600rpm
- » Fuel consumption (combined): 8.0L/100km\* (4x4 auto)

\*Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.



# CHOOSE YOUR COLOUR AND TRIMS



Concrete Grey Mica~

Gunblue Mica~

Ice White Solid

Rock Grey Mica~

Red Volcano Mica~

Ingot Silver Metallic~

True Black Mica~



Black cloth (XT and XTR)



Brown leather# (GT & Thunder)



Black & Driftwood leather (SP)



17-inch alloy on XS 4X4 and XT models



18-inch black and machined alloy on XTR and GT models



18-inch metallic black alloy on SP model



18-inch satin black alloy on Thunder model

~At extra cost. #Leather interior includes some Maztex material on selected high impact surfaces.



# SPECIFICATIONS

		4X2					
Powertrain		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XT	Dual Cab Pickup XTR
Engine type		1.9 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel	3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel				
Engine capacity		1,898cc	2,999cc				
Bore and stroke		80.0mm x 94.4mm	95.4mm x 104.9mm				
Compression ratio		16.5 : 1	16.3 : 1				
Maximum power		110kW @ 3,600rpm	140kW @ 3,600rpm				
Maximum torque		350 @ 1,800-2,600rpm	450 @ 1,600-2,600rpm				
Throttle control		Electronic (drive-by-wire)	Electronic (drive-by-wire)				
Fuel system		Common-rail, electronic direct injection	Common-rail, electronic direct injection				
Fuel tank capacity		76 litres	76 litres			76 litres	
Recommended fuel		Diesel	Diesel			Diesel	
Fuel consumption*	auto (combined)	7.0	8.0	8.0	8.0	7.7	7.7
	auto (extra urban)	6.6	6.9	6.9	6.9	6.7	6.7
	auto (urban)	7.9	9.8	9.8	9.8	9.5	9.5
Emissions standard		Euro stage V	Euro stage V				
Alternator		12 volts — 90 amps	12 volts — 90 amps				
Manual transmission		—	—				
Automatic transmission		6-speed	6-speed				
Gear ratio — manual/auto	1st	3.600	3.600				
	2nd	2.090	2.090				
	3rd	1.488	1.488				
	4th	1.000	1.000				
	5th	0.687	0.687				
	6th	0.580	0.580				
	reverse	3.732	3.732				
	final drive	4.100	3.727				

\* Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.



# SPECIFICATIONS

		4X4										
Powertrain		Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder	
Engine type		3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel										
Engine capacity		2,999cc										
Bore and stroke		95.4mm x 104.9mm										
Compression ratio		16.3 : 1										
Maximum power		140kW @ 3,600rpm										
Maximum torque		450 @ 1,600-2,600rpm										
Throttle control		Electronic (drive-by-wire)										
Fuel system		Common-rail, electronic direct injection										
Fuel tank capacity		76 litres										
Recommended fuel		Diesel										
Fuel consumption*	manual (combined)	8.0	8.0	8.0	8.0	8.0	7.7	7.7	—	—	—	
	auto (combined)	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	8.0	
	manual (extra urban)	6.7	6.7	6.7	6.7	6.7	6.6	6.6	—	—	—	
	auto (extra urban)	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	6.9	
	manual (urban)	10.2	10.2	10.2	10.2	10.2	9.7	9.7	—	—	—	
	auto (urban)	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	9.8	
Emissions standard		Euro stage V										
Alternator		12 volts - 90 amps										
Manual transmission		6-speed				—		6-speed			—	
Automatic transmission		6-speed				6-speed		6-speed			6-speed	
Gear ratio — manual/auto	1st	4.942 / 3.600				3.600		4.942 / 3.600			3.600	
	2nd	2.452 / 2.090				2.090		2.452 / 2.090			2.090	
	3rd	1.428 / 1.488				1.488		1.428 / 1.488			1.488	
	4th	1.000 / 1.000				1.000		1.000 / 1.000			1.000	
	5th	0.749 / 0.687				0.687		0.749 / 0.687			0.687	
	6th	0.634 / 0.580				0.580		0.634 / 0.580			0.580	
	reverse	4.597 / 3.732				3.732		4.597 / 3.732			3.732	
	final drive	3.727										
Transfer gear	high	1.000										
	low	2.482										

\*Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.



# SPECIFICATIONS

		4X2					
Chassis		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XT	Dual Cab Pickup XTR
Brake diameter	front	320 mm					
	rear	295 mm					
Brake type	front	Ventilated disc					
	rear	Drum					
Steering type		Electric Power Assist Steering (EPAS)					
Suspension type	front	Independent double wishbone with coil springs and anti-roll bar					
	rear	Rigid (live) rear axle with heavy-duty leaf springs					
Turning circle	kerb to kerb	12.5 m					
Tyre size		255/65 R17	255/65 R17	255/65 R17	255/65 R17	255/65 R17	265/60 R18
Tyre index		110S					
Wheel size		17 x 7.0 J	17 x 7.0 J	17 x 7.0 J	17 x 7.0 J	17 x 7.0 J	18 x 7.5 J
Wheel type		Steel	Alloy	Alloy	Alloy	Alloy	Alloy
Wheel size (spare)		17 x 7.0 J	17 x 7.0 J	17 x 7.0 J	17 x 7.0 J	17 x 7.0 J	18 x 7.5 J
Wheel type (spare)		Steel	Steel	Steel	Steel	Steel	Alloy

		4X4									
Chassis		Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
Brake diameter	front	320 mm									
	rear	295 mm									
Brake type	front	Ventilated disc									
	rear	Drum									
Steering type		Electric Power Assist Steering (EPAS)									
Suspension type	front	Independent double wishbone with coil springs and anti-roll bar									
	rear	Rigid (live) rear axle with heavy-duty leaf springs				Rigid (live) rear axle with leaf springs					
Turning circle	kerb to kerb	12.5 m									
Tyre size		255/65 R17	255/65 R17	255/65 R17	265/60 R18	265/60 R18	255/65 R17	265/60 R18	265/60 R18	265/60 R18	265/60 R18
Tyre index		110S									
Wheel size		17 x 7.0 J	17 x 7.0 J	17 x 7.0 J	18 x 7.5 J	18 x 7.5 J	17 x 7.0 J	18 x 7.5 J	18 x 7.5 J	18 x 7.5 J	18 x 7.5 J
Wheel type		Alloy	Alloy	Alloy	Alloy	Alloy	Alloy	Alloy	Alloy	Alloy	Alloy
Wheel size (spare)		17 x 7.0 J	17 x 7.0 J	17 x 7.0 J	18 x 7.5 J	18 x 7.5 J	17 x 7.0 J	18 x 7.5 J	18 x 7.5 J	18 x 7.5 J	18 x 7.5 J
Wheel type (spare)		Steel	Steel	Steel	Alloy	Alloy	Steel	Alloy	Alloy	Alloy	Alloy



# SPECIFICATIONS

		4X2						4X4									
		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
Weights and capacities	Axle capacity	1,450 kg						1,450 kg									
		1,910 kg						1,910 kg									
Gross Combined Mass (GCM) <sup>1</sup>	manual	—	—	—	—	—	—	6,000 kg	6,000 kg	6,000 kg	—	—	6,000 kg	6,000 kg	—	—	—
	auto	5,500 kg	5,850 kg	5,850 kg	5,850 kg	5,850 kg	5,850 kg	6,000 kg	6,000 kg	6,000 kg	6,000 kg	6,000 kg	6,000 kg	6,000 kg	6,000 kg	6,000 kg	6,000 kg
Gross Vehicle Mass (GVM) <sup>2</sup>	manual	—	—	—	—	—	—	3,100 kg	3,100 kg	3,100 kg	—	—	3,100 kg	3,100 kg	3,100 kg	3,100 kg	3,100 kg
	auto	3,000 kg	3,000 kg	3,000 kg	3,000 kg	3,000 kg	3,000 kg	3,100 kg	3,100 kg	3,100 kg	3,100 kg	3,100 kg	3,100 kg	3,100 kg	3,100 kg	3,100 kg	3,100 kg
Kerb weight <sup>3</sup>	manual	—	—	—	—	—	—	1,760 kg	1,830 kg	1,880 kg	—	—	2,005 kg	2,020 kg	—	—	—
	auto	1,620 kg	1,685 kg	1,755 kg	1,805 kg	1,925 kg	1,945 kg	1,770 kg	1,840 kg	1,890 kg	1,910 kg	1,915 kg	2,010 kg	2,030 kg	2,035 kg	2,115 kg	2,213 kg
Kerb weight when fitted with Mazda Standard Alloy Tray <sup>3</sup>	manual	—	—	—	—	—	—	1,904 kg	1,955 kg	1,994 kg	—	—	—	—	—	—	—
	auto	1,764 kg	1,829 kg	1,880 kg	1,919 kg	—	—	1,914 kg	1,965 kg	2,004 kg	2,024 kg	2,029 kg	—	—	—	—	—
Payload <sup>4</sup>	manual	—	—	—	—	—	—	1,340 kg	1,270 kg	1,220 kg	—	—	1,095 kg	1,080 kg	—	—	—
	auto	1,380 kg	1,315 kg	1,245 kg	1,195 kg	1,075 kg	1,055 kg	1,330 kg	1,260 kg	1,210 kg	1,190 kg	1,185 kg	1,090 kg	1,070 kg	1,065 kg	985 kg	887 kg
Payload when fitted with Mazda Standard Alloy Tray <sup>4</sup>	manual	—	—	—	—	—	—	1,196 kg	1,145 kg	1,106 kg	—	—	—	—	—	—	—
	auto	1,236 kg	1,171 kg	1,120 kg	1,081 kg	—	—	1,186 kg	1,135 kg	1,096 kg	1,076 kg	1,071 kg	—	—	—	—	—
Seating capacity		2	2	2	5	5	5	2	2	5	5	5	5	5	5	5	5
Tow ball download <sup>¶</sup>	maximum	350 kg						350 kg									
Towing capacity <sup>¶</sup>	braked	3,000 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg
	unbraked	750 kg						750 kg									

¶ When fitted with a Mazda Genuine Towing Kit. Subject to State or Territory regulations.

1 Gross Combined Mass (GCM) is the total permissible combined weight of the vehicle and trailer/caravan being towed including occupants, fuel and cargo.

2 Gross Vehicle Mass (GVM) is the total permissible weight of the vehicle including occupants, fuel and cargo.

3 Kerb weight is the unladen weight of the vehicle including all fluids and a full tank of fuel.

4 Maximum payload weight is calculated as the difference between GVM and kerb weight. The weight of any vehicle occupants, options, accessories, modifications, cargo and tow ball download must be included when calculating payload weight.



# SPECIFICATIONS

		4X2					4X4										
		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
<b>Dimensions</b>																	
Cargo box floor height to ground (mm)		—	—	—	—	828 mm	833 mm	—	—	—	—	—	828 mm	833 mm	833 mm	833 mm	833 mm
Cargo box floor length (mm)		—	—	—	—	1,571 mm	1,571 mm	—	—	—	—	—	1,571 mm	1,571 mm	1,571 mm	1,571 mm	1,571 mm
Cargo box floor width between wheel arches		—	—	—	—	1,120 mm	1,120 mm	—	—	—	—	—	1,120 mm	1,120 mm	1,120 mm	1,120 mm	1,120 mm
Cargo box width at top rail (mm)		—	—	—	—	1,530 mm	1,530 mm	—	—	—	—	—	1,530 mm	1,530 mm	1,530 mm	1,530 mm	1,530 mm
Cargo box height (mm)		—	—	—	—	490 mm	490 mm	—	—	—	—	—	490 mm	490 mm	490 mm	490 mm	490 mm
Ground clearance (mm): Unladen		235 mm	235 mm	235 mm	235 mm	235 mm	240 mm	235 mm	235 mm	235 mm	240 mm	240 mm	235 mm	240 mm	240 mm	240 mm	240 mm
Overall height (mm)		1,790 mm	1,790 mm	1,800 mm	1,800 mm	1,785 mm	1,790 mm	1,790 mm	1,800 mm	1,800 mm	1,800 mm	1,800 mm	1,785 mm	1,790 mm	1,790 mm	1,810 mm	1,790 mm
Overall length (mm)		5,320 mm	5,320 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,320 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,280 mm	5,470 mm
Overall width (mm)	Excluding mirrors	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,870 mm	1,942 mm
	Mirrors folded	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,926 mm	1,942 mm
	Mirrors open	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm	2,160 mm
Overhang (mm):	Front	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	905 mm	1,095 mm
	Rear	1,290 mm	1,290 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,290 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm	1,250 mm
Track (mm):	Front	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm
	Rear	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm	1,570 mm
Wading depth (mm)		800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm	800 mm
Wheelbase (mm)		3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm	3,125 mm
Approach angle (°)		29.6°	29.6°	29.6°	29.6°	30.0°	30.4°	29.6°	29.6°	29.6°	30.0°	30.0°	30.0°	30.4°	30.4°	27.0°	25.8°
Departure angle (°)		24.6°	24.6°	25.3°	25.3°	23.9°	24.2°	24.6°	25.3°	25.3°	25.6°	25.6°	23.9°	24.2°	24.2°	24.2°	24.2°
Ramp breakover angle (°)		23.9°	23.9°	23.9°	23.9°	23.3°	23.8°	23.9°	23.9°	23.9°	24.3°	24.3°	23.3°	23.8°	23.8°	24.3°	23.8°



# SPECIFICATIONS

		4X2						4X4										
		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder	
Exterior	Alloy wheels																	
		17-inch silver	●	●	●	●	●	—	●	●	●	—	—	●	—	—	—	—
		18-inch black and machined	—	—	—	—	—	●	—	—	—	●	●	—	●	●	—	—
		18-inch metallic black	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	—
	18-inch satin black	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●
	Bull bar																	●
	Single hoop, black steel	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●
Cargo box features:	Double wall construction	—	—	—	—	●	●	—	—	—	—	—	●	●	●	●	●	●
	Interior rope hooks (2)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	●	●
	Interior rope hooks (4)	—	—	—	—	●	●	—	—	—	—	—	●	●	●	—	—	—
	Lockable Centre tailgate release (body colour)	—	—	—	—	●	—	—	—	—	—	—	●	—	—	—	—	—
	Lockable Centre tailgate release (chrome)	—	—	—	—	—	●	—	—	—	—	—	—	●	●	—	—	●
	Lockable Centre tailgate release (gloss black)	—	—	—	—	—	●	—	—	—	—	—	—	—	—	●	—	—
	Roller tonneau cover (manual operation)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	—
	Roller tonneau cover (electric operation)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●
Tub liner	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	●	
Daytime running lamps (halogen)	●	●	●	●	●	—	●	●	●	●	●	●	●	—	—	—	—	—
Daytime running lamps (LED)	—	—	—	—	—	●	—	—	—	—	—	—	—	●	●	●	●	●
Door handles	Body Colour	●	●	●	●	●	—	●	●	●	●	—	●	—	—	—	—	—
	Gloss black	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	—	—
	Chrome	—	—	—	—	—	●	—	—	—	—	●	—	●	●	—	—	●
Fog-lamps (front)	—	—	—	—	—	●	—	—	—	●	●	—	●	●	●	●	●	
Freestyle door system	—	—	●	—	—	—	—	●	—	—	—	—	—	—	—	—	—	
Fuel filler cap (lockable)	●	●	●	●	—	—	●	●	●	●	●	—	—	—	—	—	—	
Fuel filler flap (remote release)	—	—	—	—	●	●	—	—	—	—	—	—	●	●	●	●	●	
Headlamps (LED) with manual levelling	●	●	●	●	●	—	●	●	●	—	—	—	●	—	—	—	—	
Headlamps (LED) with signature illumination and auto levelling	—	—	—	—	—	●	—	—	—	●	●	—	●	●	●	●	●	
Lightbar	Lightforce® 20-inch 2-Row LED	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●
Metallic/mica paint		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
Mudflaps	Front	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Rear	—	—	—	—	●	●	—	—	—	—	—	●	●	●	●	●	

● = Standard, ○ = Option, — = Not available.



# SPECIFICATIONS

		4X2						4X4										
		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder	
Exterior	Exterior mirrors																	
	Body Colour	●	●	●	●	●	●	●	●	●	●	—	●	●	—	—	—	
	Chrome	—	—	—	—	—	—	—	—	—	—	●	—	—	●	—	●	
	Gloss black	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	—	
	With power adjustment	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	With power folding function	—	—	—	—	—	●	—	—	—	—	—	●	—	●	●	●	●
	With heating function	—	—	—	—	—	—	—	—	—	—	—	●	—	—	●	—	●
Power windows	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	
Rear step bumper	Body colour	—	—	—	—	●	●	—	—	—	—	—	●	●	●	●	●	
Roof rails		—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	—	
Side steps	Grey / silver	—	—	—	—	—	●	—	—	—	●	●	—	●	●	—	—	
	Grey	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	—	
	Black	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	
Sports bar	Black sail plane	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	—	
	Black steel	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	
Under-body impact protection		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	

● = Standard, ○ = Option, — = Not available.



# SPECIFICATIONS

	4X2						4X4									
	Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
<b>Interior</b>																
4.2-in Colour LCD Multi Information Display	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Adaptive Cruise Control (ACC) with Stop & Go	●	●	●	●	●	●	A	A	A	●	●	A	A	●	●	●
Air-conditioning	●	●	●	●	●	—	●	●	●	—	—	●	—	—	—	—
Air-conditioning (dual-zone climate control)	—	—	—	—	—	●	—	—	—	●	●	—	●	●	●	●
Ambient temperature display	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Auxiliary 12 volt power outlet	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Centre armrest console	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Convenience hook (rear of passenger seat)	—	—	●	●	●	●	—	●	●	●	●	●	●	●	●	●
Critical function warning lights/chimes	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Cruise Control	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Cupholders	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Door pockets	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Driver's left footrest	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Floor covering: Vinyl	●	●	●	●	●	—	●	●	●	—	—	●	—	—	—	—
Carpet	—	—	—	—	—	●	—	—	—	●	●	—	●	●	●	●
Glove box (upper)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Glove box (lower, lockable)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Headlamps auto on/off function	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Instrument panel light dimmer	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Interior illumination: Dome lamp	—	—	●	●	●	●	—	●	●	●	●	●	●	●	●	●
Map reading spot lamps	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Leather-wrapped: Gear shift knob	—	—	—	—	—	●	—	—	—	●	●	—	●	●	●	●
Steering wheel	—	—	—	—	—	●	—	—	—	●	●	—	●	●	●	●
Low fuel warning light	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
One touch (up and down) power window (driver)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Overhead sunglass storage box	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Passenger assist grips	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Rear-view mirror with auto dimming function	—	—	—	—	—	●	—	—	—	●	●	—	●	●	●	●
Tachometer and electronic odometer/tripmeter	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Tilt and reach adjustable steering wheel	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

● = Standard, — = Not available, A = Automatic transmission only.



# SPECIFICATIONS

		4X2						4X4									
		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
<b>Interior</b>																	
Trip computer		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Vanity mirror (driver)		—	—	—	—	—	●	—	—	—	●	●	—	●	●	●	●
Vanity mirror (front passenger)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Window demister (rear)		—	—	●	●	●	●	—	●	●	●	●	●	●	●	●	●
Wipers (front) 2-speed with rain-sensing function		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
USB Charging Port (front)		●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
USB Charging Port (rear)		—	—	—	●	●	●	—	—	●	●	●	●	●	●	●	●
<b>Seats</b>																	
Front seat (driver bucket) with:	8-way power adjustment	—	—	—	—	—	—	—	—	—	—	●	—	—	●	●	●
	Adjustable head restraint	—	—	●	●	●	●	—	●	●	●	●	●	●	●	●	●
	Height adjustment	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Lumbar adjustment	—	—	—	—	—	●	—	—	—	●	●	—	●	●	●	●
	Rake and slide adjustment	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Front seat (passenger bucket) with:	Adjustable head restraint	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Rake and slide adjustment	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Seat back pocket	—	—	●	●	●	●	—	●	●	●	●	●	●	●	●	●
	Seat back convenience hook	—	—	●	●	●	●	—	●	●	●	●	●	●	●	●	●
Front seats with:	Heating function	—	—	—	—	—	—	—	—	—	—	●	—	—	●	●	●
Rear seat (bench) with:	Adjustable head restraints	—	—	—	●	●	●	—	—	●	●	●	●	●	●	●	●
	Centre armrest	—	—	—	—	—	●	—	—	—	●	●	—	●	●	●	●
	60/40 foldable seat base and underseat storage	—	—	—	●	●	●	—	—	●	●	●	●	●	●	●	●
Seat trim:	Black cloth	●	●	●	●	●	●	●	●	●	●	—	●	●	—	—	—
	Brown leather#	—	—	—	—	—	—	—	—	—	—	●	—	—	●	—	●
	Black & Driftwood leather#	—	—	—	—	—	—	—	—	—	—	—	—	—	—	●	—

● = Standard, — = Not available.

# Leather interior includes some Maztex material on selected high impact surfaces.



# SPECIFICATIONS

	4X2						4X4									
	Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
<b>Infotainment</b>																
7-inch full colour touch screen display	●	●	●	●	●	—	●	●	●	—	—	●	—	—	—	—
9-inch full colour touch screen display	—	—	—	—	—	●	—	—	—	●	●	—	●	●	●	●
AM/FM tuner with Radio Data System (RDS)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Apple Carplay® (wireless or USB) <sup>§</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Android® Auto (USB) <sup>§</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
DAB+ digital radio	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Auxiliary audio input jack (3.5mm mini-stereo)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Bluetooth® hands-free phone and audio capability <sup>§</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Satellite navigation	—	—	—	—	—	●	—	—	—	●	●	—	●	●	●	●
Speakers (2)	●	●	●	—	—	—	●	●	—	—	—	—	—	—	—	—
Speakers (4)	—	—	—	●	●	—	—	—	—	—	—	—	—	—	—	—
Speakers (6)	—	—	—	—	—	●	—	—	●	—	—	●	—	—	—	—
Speakers (8)	—	—	—	—	—	—	—	—	—	●	●	—	●	●	●	●
Steering wheel-mounted audio controls	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
USB-audio input port (iPod compatible) <sup>§</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

● = Standard, — = Not available.

§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features.



# SPECIFICATIONS

	4X2						4X4									
	Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
<b>Safety and Security</b>																
Advanced keyless entry with push-button start	—	—	—	—	—	●	—	—	—	●	●	—	●	●	●	●
Automatic High Beam (AHB) <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Autonomous Emergency Braking (AEB) <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Airbags SRS:	Curtain (front and rear)	—	—	—	●	●	—	—	●	●	●	●	●	●	●	●
	Curtain (front)	●	●	●	—	—	●	●	—	—	—	—	—	—	—	—
	Front (driver and passenger)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Side (front)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Farside (driver)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	Knee (driver)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Alarm	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Anti-lock Braking System (ABS)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Attention Assist <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Blind Spot Monitor (BSM) <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Childproof rear door locks	—	—	—	●	●	●	—	—	●	●	●	●	●	●	●	●
Electronic Stability Control (ESC) <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Electronic Brake-force Distribution (EBD)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Brake Assist (BA) <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Emergency Lane Keeping (ELK) — Overtaking <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Emergency Stop Signal (ESS) <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Engine immobiliser	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Forward Collision Warning (FCW) <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
High mount stop lamp	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Hill Descent Control (HDC) <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Hill Launch Assist (HLA) <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Intelligent Speed Limiter (ISL) <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Intrusion-minimising brake pedal	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
ISOFIX child restraint anchor points and top tethers (2)	—	—	—	●	●	●	—	—	●	●	●	●	●	●	●	●
Lane Departure Prevention (LDP) <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Lane Departure Warning (LDW) <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

● = Standard, — = Not available.

<sup>†</sup> Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.



# SPECIFICATIONS

	4X2						4X4									
	Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Chassis GT	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
<b>Safety and Security</b>																
Lane-keep Assist System (LAS) <sup>†</sup>	●	●	●	●	●	●	A	A	A	●	●	A	A	●	●	●
Locking Rear Differential (LRD) — switchable on/off	—	—	—	—	—	—	●	●	●	●	●	●	●	●	●	●
Manual Speed Limiter (MSL) <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Parking Sensors																
Front	—	—	—	—	—	—	—	—	—	—	—	—	—	●	●	●
Rear	—	—	—	—	●	●	—	—	—	—	—	●	●	●	●	●
Rear Cross Traffic Alert (RCTA) <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Remote Engine Start <sup>#</sup>	—	—	—	—	—	—	—	—	—	—	●	—	—	●	●	●
Remote central locking (2 transmitters)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Reverse camera	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Roll Over Protection (ROP) <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Rough Terrain Mode <sup>†</sup>							●	●	●	●	●	●	●	●	●	●
Seat-belt warning with occupant detection sensor																
Front	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Rear	—	—	—	●	●	●	—	—	●	●	●	●	●	●	●	●
Seat-belts 3-point lap-sash (all seats)	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Seat-belts (front) with:																
Height adjustable shoulder anchorages	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Pretensioners and load-limiters	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Seat-belts (rear outside) with:																
Fixed height shoulder anchorages	—	—	—	●	●	●	—	—	●	●	●	●	●	●	●	●
Pretensioners and load-limiters	—	—	—	●	●	●	—	—	●	●	●	●	●	●	●	●
Seat-belts (rear centre) with:																
Fixed height shoulder anchorages	—	—	—	●	●	●	—	—	●	●	●	●	●	●	●	●
Secondary Collision Reduction	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Side impact door beams	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Traction Control System (TCS) <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Traffic Sign Recognition (TSR) <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Trailer Sway Control (TSC) <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Turn Assist <sup>†</sup>	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Tyre Pressure Monitoring System (TPMS)	—	—	—	—	—	●	—	—	—	●	●	—	●	●	●	●

● = Standard, — = Not available, A = Automatic transmission only.

<sup>†</sup> Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.

<sup>#</sup> Please check relevant state or territory road/road safety/traffic rules or regulations before using Remote Engine Start.





ZOOM-ZOOM



For further information, visit [mazda.com.au](https://www.mazda.com.au) or Freecall 1800 034 411

All care is taken to ensure the accuracy of this brochure and availability of vehicles and features at the time of publication, however, to the extent permitted by law, Mazda Australia Pty Ltd will not be liable for any loss suffered or incurred by a purchaser or prospective purchaser if the content is inaccurate or not up to date, or if it withdraws any vehicles or features referred to in the brochure from the market. Specifications, features and model availability may vary from state to state and may change without notice. Please refer to [mazda.com.au](https://www.mazda.com.au) or consult your Mazda Dealer prior to placing an order to ascertain current information on model availability, specifications, options, features and prices. Mazda Australia Pty Ltd ABN 78 004 690 804. 211A Wellington Road, Mulgrave, Victoria 3170. iPod is a trademark of Apple Inc., registered in the US and other countries.

Due to the nature of the reproduction process, colours may vary from those shown in this brochure. Ask your Dealer to show you a product sample. Published May 2024. MAZ15513